SYSTEM AND METHOD PROVIDING MAPPED NETWORK OBJECT PERFORMANCE INFORMATION Lee W. Sapiro, et al. EMC-042PUS





FIG. 1


System And Method Providing Mapped Network Object Performance Information Lee W. Sapiro, et al. EMC-042PUS

2/22


100




F/6 2




2000




Fla.3A










Fla. 4A




ì









8 1017







2017




FIG. 11





FIG. 12



END


FIG. 13

Performance Threshold Wizard	
Select Objects and Metrics	
Select the an object type or an in	idividual object below.
C Object Type:	6 Objects:
Symmetrix Disk	or 🔳 DA-1A OC
Please select a metric: Metric: Response Time	Trigger when value is: / / // / / Greater or Equal v to set threshold
100 (o and (optional)	
Metric: None	VIO to set threshold
A threshold can be triggered combination of metrics.	when an object exceeds a single metric or a
Click next to continue	
	⇔ Back Next ⇔ Cancel Help


F1G. 14

	Performance Threshold Wizard
	Select Threshold Settings Method Select a method for setting threshold values.
1100	Set threshold values: For the whole day - 11029 1102 C For each hour of the day - 11025 C Based on historical data - 1102 Apply to P. Mon Tues Wed Thurs Fri Sat Sun 1101
	Click next to continue
	Back Next Cancel Help


FlG. 15



F16. 16



F1G. 16A



F1G. 17

New Thresholds	Object Name	Metric	Threshold Method	Revie
Existing Thresholds	፭ DA-1A OC	Response Time Writes/second	Hourly Thresholds	
				,
To receive an in the row of th		iew when thrsholo	ds trigger, check the b)0K

FIG. LY